

# TUBES



	= Screw-on heads / shoulders & caps
	= Dispensing flip-top caps
	= Cannula heads / shoulders & caps00
	= Peal Seal Available (foil seal over orifice)

## LAMINATE TUBES



## DISPENSING FLIP-TOPCAPS

513 SCREW CAPS	TUBE (MM)	TUBE STRUCT	HEAD ORIFICE (MM)	CAP DESCRIPTION	CAP ASPECT	CAP SEAL
	22	ABL	2/3/4/7.4/8	FLOWER POT	R	YES
				FULL DIAMETER	G	YES
	25	ABL/PBL	2/3/4/7.4/7.8/8	FLOWER POT	R	YES
				FULL DIAMETER	G	YES
	30	ABL/PBL	2/3/4/7.4	FLOWER POT	R	YES
				FULL DIAMETER	G	YES
	32	ABL	8.1	FLOWER POT	R	YES
	35	ABL/PBL	2/3/4/7.8/8.1	FLOWER POT	R	YES
				FULL DIAMETER	G	YES
	38	ABL	7.2	FLOWER POT	R	YES

## PUSH PONE HEADS & CAPS

PUSH PONE CAPS	TUBE (MM)	TUBE STRUCT	HEAD ORIFICE (MM)	CAP DESCRIPTION	CAP ASPECT	PEEL SEAL
	28	ABL	9.1	PUSH PONE CAP	G	NO
	30	ABL	9.1	PUSH POE CAP	G	NO
	32	ABL	9.1	PUSH PONE CAP	G	NO
	35	ABL/PBL	9.1	PUSH PONE CAP	G	NO
	38	ABL	9.1	PUSH PONE CAP	G	NO

## DISPENSING FLIP-TOP CAPS

	TUBE (MM)	TUBE STRUCT	HEAD DESCRIPTION	CAP ORIFICE (MM)	CAP ASPECT
<b>S13 SMALL FLIP-TOP NON ORIENTED</b>	22	ABL	S13	77/8	R
	25	ABL/PBL	S13	77/8	R
	30	ABL/PBL	S13	77/8	R
	32	ABL	S13	77/8	R
	35	ABL/PBL	S13	77/8	R
	38	PBL	S13	77/8	R
<b>FULL DIAMETER SCREW ON FLIP-TOP NON ORIENTED</b>	25	ABL/PBL	S13	3	GM
	35	ABL/PBL	S13	4.5/5	GM
	40	PBL	M1S	15/4.5/5	GM
<b>SNAP ON FLIP-TOP ORIENTED</b>	50	PBL	SNAP ON SHOULDER	15/3/5	GM
<b>OVAL SNAP ON FLIP- TOP</b>	30	PBL	SNAP ON SHOULDER	2/3/4/55	GM
	40	PBL	SNAP ON SHOULDER	2/3/4/55	GM

# CAPACITY

<b>CYLINDRICAL TUBES</b>																
CAPACITY (ML)																
	10	15	20	25	30	40	50	60	75	100	125	150	175	200	250	300
TUBE (MM)	SLEEVE LENGTH (MM)															
22	75	76		83		124	145									
25		95	95	95	106	111	124	136	145							
28							108			171						
30					91	106	122	122		154	162					
32											167	171				
35						98	114	117		133	148	167	176	200		
38												176	176		200	
40						97	97		115	145						
50										117		143	162	186	200	
OVAL TUBES																
30					91	106	122	122		154	162					
40						97	97		115	145						
NOTE :																
<ul style="list-style-type: none"> <li>SLEEVE LENGTH IN TABLE ARE BASED ON COMMONLY USE IN MARKET</li> <li>AVAILABLE SLEEVES LENGTH ARE IN THE RANGE 75-200 MM</li> </ul>																

- LAMINATE BODY STOCK
  - PE WHITE OR CLEAR
  - PE COPOLYMER
  - ALUMINIUM OR EVOH
  - COPOLYMER PE